



PERFORMANCE INDICATORS 'TRACK CONDITION'

In accordance with ARTC's 2007 Interstate Access Undertaking, Performance Indicators relating to the following will be published.

Track quality measured by index (1) (2)

1. To be measured by Track Quality Index (TQI) and averaged over each Segment. TQI is calculated over 100m sections, using 0.5m raw data from the AK car. TQI is the sum of the standard deviations (x3) in each rail for a 20m inertial top (average over left and right rail), horizontal alignment (versine over a 10m chord (average over left and right rail)), twist over 2.0m and gauge.
2. A measure of below rail activity.

Track Condition

Track Quality Measured By Index (TQI)

