

Route Access Standard

IN Section Pages I2 - Benalla to Oaklands

Applicability

ARTC Network Wide
SMS

Publication Requirement

External Only

Primary Source

--

Document Status

Version #	Date Reviewed	Prepared by	Reviewed by	Endorsed	Approved
1.8	Apr 2018	Manager Procedures Development	Stakeholders	Manager Standards	GM Technical Standards

Amendment Record

Amendments to the RAS are published at the following link
https://www.artc.com.au/uploads/RAS_Amendments_Register.xlsx

Disclaimer

This document has been prepared by ARTC for internal use and may not be relied on by any other party without ARTC's prior written consent. Use of this document shall be subject to the terms of the relevant contract with ARTC.


ARTC and its employees shall have no liability to unauthorised users of the information for any loss, damage, cost or expense incurred or arising by reason of an unauthorised user using or relying upon the information in this document, whether caused by error, negligence, omission or misrepresentation in this document.

This document is uncontrolled when printed.


Authorised users of this document should visit ARTC's intranet or extranet (www.artc.com.au) to access the latest version of this document.

1 Benalla to Oaklands

NB: These line maps are indicative only and should be reviewed in conjunction with the legend on page 3. For more detailed map information refer to the ARTC website.



2 Legend



3 Route Capacity

BENALLA - OAKLANDS			
TRAIN TYPE	MAXIMUM SPEED	MAXIMUM AXLE LOAD (TONNES)	
	(KM/H)	LOCOS	WAGONS
FREIGHT	70	20.6	19
	55	21.8	
	N/A	N/A	
PASSENGER	N/A	N/A	
XPT/RAILCAR	N/A	N/A	
XPLORER	N/A	N/A	
DIESEL HAUL	N/A	N/A	

Note: Route capacity applies where vehicle characteristics and conditions permit.

BENALLA – OAKLANDS – CLASS OF LOCOMOTIVE AND PERMITTED SPEEDS (KM/H)						
	CLASS OF LOCOMOTIVES					
		TYPE	21.8T	20.6T	H,P,T, CPH, HPC, NPF, NTC	Y
BENALLA AND YARRAWONGA	FREIGHT	55	70	70	65	-
BENALLA AND YARRAWONGA EXCEPT OVER BOSSEY CREEK OVERFLOW BRIDGE AT 239.170KM BETWEEN ST JAMES AND TUNGAMAH	FREIGHT	30	70	70	65	-
YARRAWONGA RIVER BRIDGE 260.545 -261.330KM		30	30	30	30	-
YARRAWONGA AND 318.481KM	FREIGHT	50	50	50	50	-

4 Location of Speed Signs

LOCATION	KILOMETRAGE	DOWN		UP	
		NORMAL	XPT	NORMAL	XPT
BENALLA	196.000			50	
YARRAWONGA	259.900			65	
YARRAWONGA (YARD)	260.170		30		
WARRAGOON	282.300			30	
RENNIE	291.300			20	
WANGAMONG	313.100				

5 Pedestrian Crossings

NAME AND KMS OF NEAREST STATION	LEVEL CROSSING	DISTANCE (KM)	TYPE	LOCATION NUMBER
BENALLA – 195.251	DELATITE SHIRE BYPASS ROAD	200.074	FL	EY2000
YARRAWONGA – 259.862	KATAMATITE – YARRAWONGA ROAD	256.478	FL	EY2564
	MURRAY VALLEY HIGHWAY	259.590	FL	EY2595
RENNIE – 291.254	RIVERINA HIGHWAY	294.462	FL	EY2946

BB	BOOM BARRIERS	NSW	R.I.C DISTANCE FROM SYDNEY
CC	CRIB CROSSING	PB	PEDESTRIAN CROSSING
FL	FLASHING LIGHTS	PG	PEDESTRIAN GATES
SG	STANDARD GAUGE	T-	EQUIPPED WITH TELEPHONE COMMUNICATION
IG	INTERLOCKING GATES	VIC	VICTORIAN BROAD GAUGE

6 Operational Restrictions

The Benalla to Oaklands route is a designated freight line and as such no heritage and/or passenger services are permitted to operate on this line without prior permission from the ARTC Interstate Network, General Manager Operations Services.