

EXISTING INFORMATION

D14 Location of Speed Signs

LOCATION	KILOMETRAGE	DOWN		UP	
		Normal	XPT	Normal	XPT
PARKES	445.505				
	445.707	-	-	40	40
	445.900	-	-	X25	X25
	446.160	70	70	40	40
GOOBANG JUNCTION	448.302				
	448.320	115	115	70	70
	453.342	-	-	115	115
	453.417	115	145	-	-
	453.423		120		145
	453.523		145		120
	456.662		120		145
	456.762		145		120
	458.271		120		145
	458.371		145		120
	459.579		120		145
	459.679		145		120
	462.475		120		145
	462.575		145		120
	464.400	-	-	115	145
	464.475	115	120	-	-

REVISED INFORMATION

D14 Location of Speed Signs

LOCATION	KILOMETRAGE	DOWN		UP	
		Normal	XPT	Normal	XPT
PARKES	445.505				
	445.707	-	-	40	40
	445.900	-	-	X25	X25
	446.160	70	70	40	40
GOOBANG JUNCTION	448.302				
	448.320	110	110	70	70
	453.342	-	-	110	110
	453.417	115	145	-	-
	453.423		120		145
	453.523		145		120
	456.662		120		145
	456.762		145		120
	458.271		120		145
	458.371		145		120
	459.579		120		145
	459.679		145		120
	462.475		120		145
	462.575		145		120
	464.400	-	-	115	145
	464.475	115	120	-	-

Issued By: Richard Potts
 Australian Rail Track Corporation

Approved By: John Furness - Manager Standards (Minor)
NAN Ref (if applicable): 2152