



AUSTRALIAN RAIL TRACK CORPORATION LTD
Route Access Condition Notice
14-00008

Distributed To:	ARTC Website
Distribution Date:	14/10/14
Requested By:	ARTC
Subject:	Operation of Locomotive Hauled Passenger Trains on the ARTC network Seymour to Wodonga
Effective Period:	14/10/14– Until Published
Amendment Type:	Permanent

Note: Permanent Route Access Condition Notices (RACN) are periodically updated in the ARTC Route Access Standard (RAS), at which time the relevant RACN is withdrawn.

RAS Reference:

Section: D53 **Version No.:** 1.3 **Page/s:** 4&5

ARTC Network Location:

Line Section: Albury to Somerton
Kms: Seymour 99.000 – Wodonga 302.500

RACN 140008 outlines the changes to Section page D53. The inclusion of Locomotive Hauled Passenger trains has been added to the speed & axle load tables due to operation of this type of train, on the converted section of track Seymour to Wodonga. Commissioning of the track from broad gauge to standard gauge was completed in 2010 and 2011, with passenger trains operating on this part of the network on the 26/06/11. The changes to the speed and axle load tables are as follows:

D53 Route Capacity

SEYMOUR – ALBURY (EAST TRACK)

Train Type	Maximum Speed (km/h)	Maximum Axle Load (tonnes)	
		Locos 134t Maximum locomotive weight	Wagons
Express Freight	115	22.8	20
Super Freight	110	22.8	21
Regular Freight	80	22.8	23
Standard Freight	80	22.8	23
Loco Hauled Passenger	115	22.8	19
Express Passenger	130	19	19

Note:

1. Route capacity applies where vehicle characteristics and conditions permit.

Comment [RP1]: Loco Hauled Passenger added RACN140008 due to the operation of these types of trains on the west track Seymour to Wodonga when converted from BG V/Line to SG ARTC.

SEYMOUR – ALBURY (WEST TRACK)

Train Type	Maximum Speed (km/h)	Maximum Axle Load (tonnes)	
		Locos 134t Maximum locomotive weight	Wagons
Express Freight	115	22.8	20
Super Freight	110	22.8	21
Regular Freight	80	22.8	23
Standard Freight	80	22.8	23
Loco Hauled Passenger	115	22.8	19
Express Passenger	130	19	19

Note:

1. Route capacity applies where vehicle characteristics and conditions permit.

SOMERTON - SEYMOUR

Train Type	Maximum Speed (km/h)	Maximum Axle Load (tonnes)	
		Locos 134t Maximum locomotive weight	Wagons
Express Freight	115	22.8	20
Super Freight	110	22.8	21



Regular Freight	80	22.8	23
Standard Freight	80	22.8	23
Loco Hauled Passenger	115	22.8	19
Express Passenger	130	19	19

1. Route capacity applies where vehicle characteristics and conditions permit.

Issued By: Richard Potts
Australian Rail Track Corporation

Approved By: John Furness - Manager Standards (Minor)

Ref: